



**PACO**  
a brand of **LMPG**

# ARCHITECTURAL

---

RECESSED LUMINAIRES



## TABLE OF CONTENTS

- 01** PROW ..... 5
- 02** PRIZZ (SRLB) ..... 7
- 03** SQUAD (SRL) ..... 9

## PRODUCT DESCRIPTION

---

Our Recessed Troffer Collection offers the flexibility to adjust color temperatures ranging from 2700K (warm white) to 5000K (daylight), making it ideal for indoor applications that demand high efficiency, exceptional performance, and easy installation.

## APPLICATIONS

---

Office Areas, Retail Stores, Classrooms, Hospitals, Nursing Homes, and Hospitality.

## NOMINAL LENGTHS

---

- > **14** | 12"x48"
- > **22** | 24"x24"
- > **24** | 24"x48"

## MOUNTING

---

- > **T** | T-Bar (Grid)
- > **FK** | Flange Kit (gypsum)



# 01

# PROW



**PROW** is an architectural luminaire designed with precision and innovation to elevate your spaces with impeccable features.

**Comfortable Illumination:** Say goodbye to harsh lighting! PROW provides a soothing and comfortable glow, creating the perfect ambiance for offices, schools, hospitals, and commercial spaces.

**Versatile Design:** Tailored for a Wide selection of LED packages, Minimum 80 CRI, Multiple dimming protocols available, enhancing aesthetics while delivering exceptional lighting performance.



\*Other lumen packages available

[Spec Sheets & IES Files](#)

## PROW

### LUMEN PACKAGES 24"X24"

3000 lm	Wattage: 32
4500 lm	Wattage: 50
6000 lm	Wattage: 70

### LUMEN PACKAGES 24"X48"

4500 lm	Wattage: 51
6000 lm	Wattage: 69
8000 lm	Wattage: 83


## Led Options:



## Features & Benefits:

- > Minimum 80 CRI; color range 3000K - 5000K available.
- > Multiple dimming protocols available.
- > White opal regress acrylic lens for smooth and diffuse illumination.
- > Matte powder coated finish applied post-production to ensure smooth edges and modern look.
- > Average UGR of 18

## Certifications:




# 02

# PRIZZ (SRLB)



What sets apart the **PRIZZ** luminaire is its unique diffused prismatic low glare lens that creates a comfortable illumination for any given spaces.

With efficiency averaging 120lm/w (depending on the lumen package and the size), the PRIZZ becomes an ideal solution for offices, education facilities and many more applications.



## SRLB-14

### LUMEN PACKAGES

2000 lm	127lm/w	UGR: 15
4000 lm	141lm/w	UGR: 17

\* Other lumen packages available

[Spec Sheets & IES Files](#)



## SRLB-22

### LUMEN PACKAGES

2000 lm	114lm/w	UGR: 11
3000 lm	113lm/w	UGR: 13
4000 lm	109lm/w	UGR: 14

\* Other lumen packages available

[Spec Sheets & IES Files](#)



## SRLB-24


### LUMEN PACKAGES

3000 lm	134lm/w	UGR: 14
4500 lm	128lm/w	UGR: 16
6000 lm	124lm/w	UGR: 17

\* Other lumen packages available

[Spec Sheets & IES Files](#)

## Led Options:



## Finishes:



03

# SQUAD (SRL)



**SQUAD (SRL)** Architectural LED Recessed Luminaire – a sleek and sophisticated lighting solution designed for applications that demand a perfect blend of clean aesthetics, energy efficiency, and comfortable illumination.

The Squad luminaire boasts a minimum 80 Color Rendering Index (CRI), guaranteeing true and accurate color representation. Choose from a versatile color range of 3000K to 5000K to customize the lighting ambiance according to your preference and specific needs.

Upgrade your space with the Squad Architectural LED Recessed Luminaire and experience the perfect synergy of style, energy efficiency, and comfortable lighting.



## Led Options:



## Features & Benefits:

- > Minimum 80 CRI; color range 3000K - 5000K available.
- > Multiple dimming protocols available.
- > White opal regress acrylic lens for smooth and diffuse illumination.
- > Lens regressed 2.22" from grid.

## Certifications:



## SRL

### LUMEN PACKAGES

3000 lm	112 lm/w	Wattage: 27
5000 lm	103 lm/w	Wattage: 49

\* Other lumen packages available

[Spec Sheets & IES Files](#)

## Finishes:





## Follow Us:



LinkedIn



Facebook



Instagram



780 salaberry  
Laval QC H7S 1H3  
450.668.9620



info@pacolighting.com  
www.pacolighting.com

